

**FIG. 1**




FIG. 2A






FIG. 2B


PT7-1C-POL:




**FIG. 2C**

85 kDa PROTEIN






**FIG. 4A**








**FIG. 4B**



**FIG. 4C**

007555 1 040904



108010-15595260




FIG. 8A




FIG. 8B







FIG. 8C



**FIG. 9A**



**FIG. 9B**



**FIG. 9C**

15595260




FIG. 10A




FIG. 10B




FIG. 11A




FIG. 11B




FIG. 11C



103010-15553200




FIG. 12A




FIG. 12B




FIG. 12C




FIG. 13A




FIG. 13B







FIG. 13C




**FIG. 14A**




**FIG. 14B**



**FIG. 15A**



**FIG. 15B**



**FIG. 15C**

00000-15555260

000000-15595200

SERUM IgG ANTI-POLIOVIRUS IN  
IMMUNIZED PIGTAIL MACAQUE




FIG. 16

# pT7-IC:




FIGURE 17A

# pT7-IC-Pr55 gag :




FIGURE 17B

# pT7-IC-Pr55 gag (VP4/2A):




FIGURE 17C




FIGURE 18A

FIGURE 18B

100010-15555200




FIGURE 19A

Phosphorimagery Quantitation of Samples  
Analyzed by Northern Blot

Samples	Values
pT7-IC-Pr55 <sup>gag</sup>	19,062
pT7-IC-Pr55 <sup>gag</sup> (VP4/2A)	18,430
pT7-IC-Gag 1	98,800

FIGURE 19B

100010 15555460




FIGURE 20




FIGURE 21A

FIGURE 21B






FIGURE 22

# pT7-IC




FIGURE 23A




FIGURE 23B

# pT7-IC-CEA sig-




FIGURE 23C




FIGURE 24B

FIGURE 24A




FIGURE 25A

FIGURE 25B

FIGURE 25C




FIGURE 26A




FIGURE 26B